

VALVE WITH INTEGRATED PRESSURE REGULATOR

VIPR

- Robust and reliable design
- Compact size
- EN ISO 22435 and CGA V-9 compliant
- Oxygen adiabatic shock-tested up to 5200 psi
- Filling port with non-return valve
- Residual Pressure Device (RPD)
- Pressure gauges for cylinder content and delivery pressures
- OPTIONS: Safety Relief Burst Disc, dip tubes and acetylene fusible plugs
- VIPR guard tested to ISO 11117




VIPR




TECHNICAL DATA				
Gas Service:	Oxygen	Acetylene	Argon & AR/CO2 Blends	Helium
Inlet pressure:	2900 or 4400 psi	360 psi	2900 or 4400 psi	2900 or 4400 psi
Outlet delivery:	0-145 psi	0-15 psi	0-53 CFH	0-145 psi
Flow rate:	1060 CFH	180 CFH	53 CFH	1060 CFH

DESCRIPTION



CONNECTION

GCE combination valve is one step further in gas control compared with a simple cylinder valve. This much more technically advanced product connects in one brass body features of both cylinder valve and pressure regulator. This gives possibility of constant control and fluent adjustment of gas flow and outlet pressure.



GCE combination valve design is supported by over hundred years of exploitation experience worldwide.

 $Manufactured\ according\ to\ Directive\ 2010/35/EU\ for\ Acetylene,\ Argon/CO2\ ,\ Oxygen,\ 200\ and\ 300\ bar\ working\ pressure\ technology.$

Features include:

- residual pressure device
- pressure relief valve
- variety of possible connections
- variety of filling ports with non-return function

The GCE combination valve is ready to be used in variety of industrial applications.

Just connect your equipment directly to IVC outlet and adjust flow settings.

Special GCE plastic or metal guards protect combination valve from damage during transportation and operation.

Special shape of guard makes cylinder transportation easier and safer.





Application NEW Guard

REGIONAL OFFICES

EUROPE

CZECH REPUBLIC

FRANCE

GERMANY

HUNGARY

ITALY

POLAND

PORTUGAL

ROMANIA

SPAIN

SWEDEN

UNITED KINGDOM & IRELAND

AMERICA

USA

CANADA MEXICO

LATIN AMERICA

ASIA

CHINA

INDIA RUSSIA



visit: us.gcegroup.com



Please contact us for technical/sales support at:

ESAB Welding & Cutting Products - UNITED STATES

2800 Airport Road Denton, TX 76207

Product information and support line: 1-800-ESAB-123 (1-800-372-2123)

Customer Care: 1-800-426-1888

www.esab.na.com

ESAB Welding & Cutting Products - Canada

6200 Cantay Road, Unit 20 Mississauga, Ontario L5R 3Y9 Tel: (905) 670-0220 Toll-free: (877) 935-3226



Art. 735100001385. Edition 1/2020. Alterations are subject to change without notice. 150420kk $\mbox{\ensuremath{\mathbb{G}}}$ GCE 2020